

InviKtus

Safe

Multi-protection against burglary,
fire and explosives



Certified
burglary
resistance



Certified
fire
resistance



Certified
blast
resistance



Certified
core drill
resistance

INVIKTUS



Cl. IV-VI T2
EN 1143-1



60 min paper
NT FIRE 017



Cl. IV-VI EX
EN 1143-1



Cl. IV-VI CD
EN 1143-1

Protection against theft, fire, and explosives

In order to offer you this High-Risk solution, our R&D department has developed a highly efficient composite material and tested the range under the most rigorous conditions to withstand the latest attack techniques. This allowed Inviktus to achieve the A2P EN 1143-1 T2 certification, which introduces more stringent testing criteria with new, more advanced tools, ensuring a leading position in the market.



Key features

PROTECTION

- ✦ Burglary resistance certified A2P Grades IV-VI T2, as per EN 1143-1.
- ✦ Fire resistance certified ECB-S 60P (60 minutes paper) as per NT Fire 017.
- ✦ Blast resistance certified A2P Grades IV-VI EX as per EN 1143-1.

MODELS


- ✦ 14
- ✦ 20
- ✦ 30
- ✦ 40
- ✦ 60
- ✦ 120

KEY BENEFITS

- ✦ Flagship product in our portfolio
- ✦ Integrating the best of Fichet know-how
- ✦ A unique solution providing the highest level of protection available on the market

Fichet Bauche guarantees

Our products are subjected to the most stringent tests approved by insurers and A2P-certified by France's National Centre for Prevention and Protection (CNPP). This is the result of integrating our own test laboratory into our factory to impose conditions going even further than those of certifying bodies. Installation is also carried out by our own technicians to ensure certification of your safe is always preserved.



Technical specifications

Models		InviKtus 14	InviKtus 20	InviKtus 30	InviKtus 40	InviKtus 60	InviKtus 120
Capacity (Litres)		139	210	308	416	596	1117
External Dimensions (mm) <i>Hinges projection not included</i>	Height	790	920	1270	1470	1850	1850
	Width	730	730	730	810	880	1500
	Total width with door open to 180°	1420	1420	1420	1580	1720	3066
	Depth (without handle & locks)	640	740	740	740	740	740
	Total depth with door open to 90°	1285	1385	1385	1465	1535	1492
Internal dimensions (mm)	Height	620	750	1100	1300	1680	1680
	Clearance height (mm)	572	702	1052	1252	1632	1632
	Width	560	560	560	640	710	1330
	Clearance width	512	512	512	592	662	1282
	Depth	400	500	500	500	500	500
Weight (kg)	Grade IV	610	767	995	1212	1573	2350
	Grade V	707	884	1154	1413	1806	2757
	Grade VI	688	864	1132	1380	1784	2682
Number of shelves		2	3	3	4	5	5
Number of doors		1					2

Handle projection: +65mm / Lock projection: +14-57mm depending on models.

Fichet Bauche Locks

A2P-certified locks as per European standards EN 1300:
Joint fitting of 2 locks is mandatory for InviKtus safes.



MxB-B or MxB-C key lock
(patented by Fichet-Bauche).



Class B/C
EN 1300



Moneo mechanical
combination lock



Class C
EN 1300



KelNet (B or C Grade)
electronic combination lock



Class B/C
EN 1300

A hallmark of our brand

With 200 years of experience as master locksmiths, we develop and manufacture our own exclusive locks. This is one of the key strengths of our safes and a guarantee of high security. We remain committed to permanent investment in R&D, always looking for more functionality, more resistance, new materials and more advanced lock technologies.

Product details

The InviKtus range offers particularly refined ergonomics to facilitate integration and everyday use in your environment. Our exclusive material provides optimal performance while reducing weight by 10 to 25%. The thickness of our defense structure allows for an increase in storage volume without increasing bulk. Easy opening and closing of the safe: locks positioned at the top and a pull handle on each model make it easy to operate the door, regardless of the size of the safe. A sleek and elegant design for its 6 available models.

PERFORMANCE AND SECURITY

InviKtus safes provide:

- ✦ Burglary protection certified A2P classes IV T2, V T2, and VI T2, according to the EN 1143-1 standard (€110,000, €200,000, and €300,000 insurable values, respectively).
- ✦ Fire protection certified ECB-S 60P (60 minutes for paper documents), according to the NT FIRE 017 standard.
- ✦ Explosive protection certified A2P classes IV EX, V EX, and VI EX, according to the EN 1143-1 standard
- ✦ Drilling protection certified ECB-S classes IV CD, V CD, and VI CD, according to the EN 1143-1 standard (optional).
- ✦ Exclusive Fichet Bauche mechanical and electronic locks, all A2P certified, according to the EN 1300 standard.
- ✦ Fichet Bauche's proprietary anti-drilling armor to protect our locks and locking systems.
- ✦ A high-performance composite developed by our R&D department, optimizing the weight-to-strength ratio and usable volume.
- ✦ A locking mechanism boltwork protected by relockers.
- ✦ The locking system of InviKtus has been specifically designed to withstand the most violent attacks.
- ✦ A full-height indestructible rear door hook profile, preventing the door from being torn off.
- ✦ High-quality fire seals that ensure long-lasting effectiveness.
- ✦ Robust hinges tested for 50,000 cycles, equivalent to a lifespan of 137 years for one opening per day.

INTERIOR FITTINGS AND OPTIONS

- ✦ Simple or reinforced shelves.
- ✦ Shelves for hanging files.
- ✦ Lockable inner cabinets.
- ✦ Lockable drawers.
- ✦ DOCT alarms (Detection of Opening, Shock, and Thermal), compatible with most alarm control panels on the market, enabling 24/7 monitoring and detection.
- ✦ Fixing kit included for safes under 1000 kg, mandatory according to the EN 1143-1 standard.
- ✦ External power supply box.
- ✦ Distribution plate.





Atelier Boonen

Authorised Fichet-Bauché dealer in Brussels

Fichet-Bauché Inviktus

Sales, delivery and installation by our own technicians,
in Brussels and throughout Belgium. After-sales service, safe opening,
repairs and combination changes by our own workshop.

Contact

Atelier Boonen SPRL/BV
Rue de la Princesse 10, 1080 Brussels
info@atelierboonen.be
www.fichet.be · www.atelierboonen.be
VAT BE 0838 112 662